



CAN VOLUNTEERS CONTRIBUTE TO INVASIVE SPECIES DETECTION AND SCIENCE?

Mark Renz, Extension Weed Specialist, UW Madison

Alycia Crall, Nat. Ecolog. Obs. Network (NEON)


WISCONSIN'S FIRST DETECTOR NETWORK = WIFDN



Network of volunteers in WI , formed 2013

What is Citizen Science?

- Partnership between scientists and the public to address research questions of common interest



Assessing Benefits and Challenges

Benefits

- ❑ **Data collection across spatial and temporal scales**
- ❑ Data relevant to local conservation issues
- ❑ Connects scientific research to public outreach and education
- ❑ Changes in attitudes and behavior

Challenges

- ❑ Data quality
 - ▣ Increase in data variability
 - ▣ Inconspicuous species commonly misidentified
- ❑ Data management
- ❑ Skeptics



Professional observations

Professional + Volunteer observations




	Garlic mustard	Japanese Barberry	Eurasian Marsh thistle	Japanese knotweed	Wild Parsnip
Professional	72	64	63	58	62
Volunteer	60	61	58	56	6

C. palustre



P. cuspidatum



July 0

July 0

Kilometers

Assessing Benefits and Challenges

Benefits

- Data collection across spatial and temporal scales
- **Data relevant to local conservation issues**
- Connects scientific research to public outreach and education
- Changes in attitudes and behavior

Challenges

- Data quality
 - ▣ Increase in data variability
 - ▣ Inconspicuous species commonly misidentified
- Data management
- Skeptics

Citizen Science: gaining local support

- Community members with shared interests in endangered Red cockaded woodpecker
- Approached Nature Conservancy about growing threats to habitat
- Recent Japanese Stilt Grass incursion is cause for concern, but not yet a crisis
- Known to alter critical fire dynamics of ecosystem
- With training on adaptive land management and scientific method, began mapping extent of invasion
- Experimental treatments started Spring 2014



Assessing Benefits and Challenges

Benefits

- Data collection across spatial and temporal scales
- Data relevant to local conservation issues
- **Connects scientific research to public outreach and education**
- **Changes in attitudes and behavior**

Challenges

- Data quality
 - ▣ Increase in data variability
 - ▣ Inconspicuous species commonly misidentified
- Data management
- Skeptics

RESEARCH REPORT

Scientific knowledge and attitude change: The impact of a citizen science project

Dominique Brossard^{a,*}, Bruce Lewenstein^b and Rick Bonney^b

^aUniversity of Wisconsin-Madison, WI, USA; ^bCornell University, NY, USA

This paper discusses the evaluation of an informal science education project, The Birdhouse Network (TBN) of the Cornell Laboratory of Ornithology. The Elaboration Likelihood Model and the theory of Experiential Education were used as frameworks to analyse the impact of TBN on participants' attitudes toward science and the environment, on their knowledge of bird biology, and on their understanding of the scientific process. The project had an impact on participants' knowledge of bird biology. No statistically significant change in participants' attitudes toward science or the environment, or in participants' understanding of the scientific process, could be detected. The results suggest that projects must make explicit to participants the issues that they are experiencing. In addition, the results suggest that more sensitive measures need to be designed to assess attitude change among environmentally aware citizens.

Introduction

The need to encourage public understanding of science is rarely contested. In societies more and more technological, individuals must be able to make informed decisions regarding scientific issues that affect their personal lives, the well-being of their communities, and national issues such as health care and energy policy. Research has shown, however, that in the United States, the general level of understanding of basic scientific concepts and of the nature of scientific inquiry may be insufficient for the average citizen to be able to make informed decisions (National Science Board, 2002). In this context, efforts have been made in the last decade not only in reforming science education in the nation's school system (National Research Council, 1996), but also in promoting informal science education, or science education outside the classroom (Crane et al., 1994; Falk, Donovan, &

*Corresponding author. 5168 Vilas Hall, University of Wisconsin Madison, 821 University Ave, Madison WI 53706, USA. Email: dbrossard@wisc.edu

Article



Public Understanding of Science
0(0) 1–20

© The Author(s) 2012

Reprints and permission:

sagepub.co.uk/journalsPermissions.nav

DOI: 10.1177/0963662511434894

pus.sagepub.com



The impacts of an invasive species citizen science training program on participant attitudes, behavior, and science literacy

Alycia W. Crall¹, Rebecca Jordan², Kirstin Holfelder¹, Gregory J. Newman¹, Jim Graham¹ and Donald M. Waller³

¹Colorado State University, USA

²Rutgers University, USA

³University of Wisconsin-Madison, USA

Abstract

Citizen science can make major contributions to informal science education by targeting participants' attitudes and knowledge about science while changing human behavior towards the environment. We examined how training associated with an invasive species citizen science program affected participants in these areas. We found no changes in science literacy or overall attitudes between tests administered just before and after a one-day training program, matching results from other studies. However, we found improvements in science literacy and knowledge using context-specific measures and in self-reported intention to engage in pro-environmental activities. While we noted modest change in knowledge and attitudes, we found comparison and interpretation of these data difficult in the absence of other studies using similar measures. We suggest that alternative survey instruments are needed and should be calibrated appropriately to the pre-existing attitudes, behavior, and levels of knowledge in these relatively sophisticated target groups.

Keywords

attitudes, behavior, citizen science, global positioning systems, invasive species, science literacy, vegetation monitoring

1. Introduction

A scientifically literate citizenry is necessary to understand and make informed decisions surrounding science, technology, and environmental issues (Miller, 2004). Although science literacy among the American population as measured by the Science and Engineering Indicators (SEI) has

Corresponding author:

Alycia W. Crall, Natural Resource Ecology Laboratory, Colorado State University, Fort Collins, CO 80523-1499, USA
Email: Alycia.Crall@colostate.edu


Assessing Benefits and Challenges

Benefits


- ❑ Connects scientific research to public outreach and education
- ❑ Data collection across spatial and temporal scales
- ❑ Data relevant to local conservation issues
- ❑ Changes in attitudes and behavior

Challenges

- ❑ **Data quality**
 - ❑ Increase in data variability
 - ❑ Inconspicuous species commonly misidentified
- ❑ Data management
- ❑ Skeptics




SEE, THEY ASKED HOW MUCH MONEY
I SPEND ON GUM EACH WEEK, SO I
WROTE, "\$500." FOR MY AGE, I PUT
"43," AND WHEN THEY ASKED WHAT MY
FAVORITE FLAVOR IS, I WROTE
"GARLIC/CURRY."



Tested the ability of volunteers to identify invasive plants

- 2009 recruited volunteers and professionals to participate Madison + Ft Collins
- Professionals (WI 31, CO 21)
 - ▣ Faculty, graduate students, land managers
- Volunteers (WI 31, CO 28)
 - ▣ People involved in an existing volunteer network
- Gave 1 day of training
 - ▣ Plant ID and other “skill tests”
 - GPS, Vegetation monitoring



Tested the ability of volunteers to identify invasive plants


- Selected 6 species at each site.
 - ▣ 3 easy to ID
 - ▣ 3 hard to ID
- 125 plants along established trails


Table 2 Six species taught during the two trainings in Wisconsin and Colorado, including identification difficulty classification

Scientific name	Common name	State	Identification difficulty
<i>R. cathartica</i> L.	Common Buckthorn	WI	Easy
<i>Hesperis matronalis</i> L.	Dame's Rocket	WI	Easy
<i>Alliaria petiolata</i> (M. Bieb.) Cavara & Grande	Garlic Mustard	WI	Easy
<i>R. frangula</i> Mill.	Glossy Buckthorn	WI	Difficult
<i>C. orbiculatus</i> Thunb.	Asian Bittersweet	WI	Difficult
<i>Lonicera</i> sp. L.	Honeysuckle	WI	Difficult
<i>E. esula</i> L.	Leafy Spurge	CO	Easy
<i>Linaria dalmatica</i> (L.) Mill.	Dalmation Toadflax	CO	Easy
<i>Elaeagnus angustifolia</i> L.	Russian Olive	CO	Easy
<i>Carduus nutans</i> L.	Musk Thistle	CO	Difficult
<i>Cynoglossum officinale</i> L.	Houndstongue	CO	Difficult
<i>Cardaria draba</i> (L.) Desv.	Whitetop	CO	Difficult

Species identification

- 85% professional vs 70% volunteer
- 82% conspicuous vs 65% inconspicuous





Additional Research: Data Quality

Protocols Tested in Field

- Genet and Sargent 2003
- Boudreau and Yan 2004
- Delaney et al. 2008
- Crall et al. 2011
- 40 pubs in 2012-2013

Other Solutions


- Statistics to overcome sampling design limitations
 - ▣ Kery et al. 2010
 - ▣ Snall et al. 2011
- Online Tools
 - ▣ Smart filters (Bonter and Cooper 2012)
 - ▣ Verification procedures

How we do deal with data quality?

Allows opportunity for us to verify

Smartphone app/website

- Georeferenced pictures emailed to experts
- Experts can be categorized based on
 - ▣ Location
 - ▣ Species
 - ▣ Regulatory status
- Easy for plants, some insects, hard for diseases



Assessing Benefits and Challenges

Benefits


- ❑ Connects scientific research to public outreach and education
- ❑ Data collection across spatial and temporal scales
- ❑ Data relevant to local conservation issues
- ❑ Changes in attitudes and behavior

Challenges

- ❑ Data quality
 - ▣ Increase in data variability
 - ▣ Inconspicuous species commonly misidentified
- ❑ **Data management**
- ❑ Skeptics


Where people store data?

Results from 2007



Creating tools to improve reporting

- Websites/Applications
 - ▣ Provide users with outputs that may be a benefit
 - ▣ Tracking/mapping system
 - ▣ Reporting system
 - ▣ Assistance in identification
- Developing networks/organizations





Welcome to eBird

Birding in the 21st Century.

The Cornell Lab
of Ornithology

Audubon

News and Features

Winter Finch Forecast 2013-2014

24 September 2013

As days shorten and cooler temperatures descend into North America, it's time for one of our favorite features of the Autumn — Ron Pittaway's Winter Finch Forecast. Here it is: This is not an irruption (flight) year for winter finches, but there will be some southward movement of most species into their normal winter ranges. Ontario's cone crops (except white pine) and deciduous seed/berry crops are generally above average to excellent. Very good to bumper spruce cone crops extend across Canada's boreal forest from Yukon (bumper) east to Atlantic Canada, with rare exceptions. Cone crops are good to excellent (poor on white pine) in central Ontario and Laurentian Mountains in southern Quebec with heavy crops extending east through the Adirondack Mountains of New York and northern New England States.



Blue-footed Boobies Invade California!

USA npn
National Phenology Network
Taking the Pulse of Our Planet

[ABOUT](#)
[PARTICIPATE](#)
[RESOURCES](#)
[EDUCATION](#)
[RESULTS](#)
[ARCHIVE](#)
 [search](#)


Saskatoon serviceberry
[View All Species](#)

Join Us!

We are looking for volunteers to help us monitor plant and animal species found across the United States. Click "Nature's Notebook" to join us!



Become a citizen scientist in
Nature's Notebook today!

USA National Phenology Network

The USA National Phenology Network brings together citizen scientists, government agencies, non-profit groups, educators and students of all ages to monitor the impacts of climate change on plants and animals in the United States. The network harnesses the power of people and the Internet to collect and share information, providing researchers with far more data than they could collect alone.

[Learn more about us](#)

[USA-NPN News](#)
[Phenology Feed](#)
[Join the Conversation](#)

- ▶ Phenology 2012 Registration Open (Student Scholarships Available)
- ▶ Mobile Apps for iPhone and Android now available in app stores!
- ▶ Phenology on NPR's All Things Considered and The Diane Rehm Show
- ▶ Phenology Camera live at USGS Headquarters in Reston
- ▶ USA-NPN Co-organizing Citizen Science Conference in August
- ▶ Explore Local and Regional Phenology-Oriented Groups
- ▶ Phenology and USA-NPN highlighted in agency and White House reports

- ▶ Recent Media Reports
- ▶ Newsletter Archive
- ▶ Jobs, Fellowships and Volunteer Opportunities

What does
observing lilacs
right now have


[Log In](#)
[Geographic Affiliates](#)


Explore local and regional
phenology-oriented groups.

[Top Observers This Week](#)

1	Richard@CA	53
2	Cathie@TN	40
3	Alexander@CA	35
4	Arnold@CA	34
5	Steven@MN	30

See all leaderboards.

[Countdown to One Million](#)

Observations: 930,466

We are nearing the millionth observation
record in our database.
[Help us get there!](#)



Are you...?

New to phenology?
Ready to start observing?
One of our partners?
Interested in creating a partnership?
An educator?

Assessing Benefits and Challenges

Benefits

- ❑ Connects scientific research to public outreach and education
- ❑ Data collection across spatial and temporal scales
- ❑ Data relevant to local conservation issues
- ❑ Changes in attitudes and behavior

Challenges

- ❑ Data quality
 - ▣ Increase in data variability
 - ▣ Inconspicuous species commonly misidentified
- ❑ Data management
- ❑ **Skeptics**

Quotes from Skeptics

- **“I may come round to thinking that this term has a place in the scientific lexicon the day the US medical community agrees to use the term ‘citizen surgeons’ to describe well-meaning souls with a day’s medical training...”**

Final Thoughts

- Citizens/volunteers can be used to successfully in science
 - ▣ Training, Ddata quality
- Citizen scientists want to interact
 - ▣ Communication needs to be two-way
- Citizen scientists are not general public
 - ▣ More scientifically literate
 - ▣ Slightly positive attitude toward science
 - ▣ Strong positive attitude toward environment

WISCONSIN'S FIRST DETECTOR NETWORK = WIFDN



Summary of Impact





	2014	2015	Total
Participants (online + workshops)	100	305	405
Volunteer hours	517	1,883	2,400
GLEDN Invasive species reports	350	711	1,061
Cerceris insects collected	200	211	411

Educational events by WIFDN members also important but difficult to summarize


This information is assisting us in predictive modeling efforts in WI!

- See handout.....







Ensemble Habitat Suitability Map for Phragmites (Phragmites australis)




Phragmites






Phragmites



Phragmites



Drivers of Suitable Habitat - Parsnip




Questions/Discussion

Mark Renz

University of Wisconsin-Madison (UWEX)

Extension Weed Specialist

mrenz@wisc.edu



Alycia Crall, Ph.D.

Science Educator

Education and Public Engagement

1685 38th Street

Suite 100

Boulder, CO 80301

United States

acrall@neoninc.org

720.921.2634

